



ISSN Print: 2664-8962
ISSN Online: 2664-8970
Impact Factor: RJIF 5.6
IJPR 2019; 1(1): 23-25
www.psychiatryjournal.in
Received: 08-11-2018
Accepted: 11-12-2018

Sri Divya Reddy Kandhi
Post Graduate, Department of
Psychiatry, Mamata Medical
College, Khammam,
Telangana, India

Ramana Gattavali
Post Graduate, Department of
Psychiatry, Mamata Medical
College, Khammam,
Telangana, India

Pavani Narukurthi
Senior Resident, Department
of Psychiatry, Mamata
Medical College, Khammam,
Telangana, India

Raghuram Macharapu
Associate Professor,
Department of Psychiatry,
Mamata Medical College,
Khammam, Telangana, India

Corresponding Author:
Raghuram Macharapu
Associate Professor,
Department of Psychiatry,
Mamata Medical College,
Khammam, Telangana, India

Mobile phones usage and its association with stress, anxiety and depression among adolescents

Sri Divya Reddy Kandhi, Ramana Gattavali, Pavani Narukurthi and Raghuram Macharapu

Abstract

Introduction: The usage of smart phones has been so much embedded in our lives that it seems to be nearly impossible at times to avoid them. Over usage of smart phone is a common problem all around the world especially among youngsters which might affect them negatively.

Objective: The objective of the study is to calculate the excessive mobile phone usage and its influence on stress, anxiety and depression among adolescents.

Materials and Methods: The present study is done among students in Khammam and consists of 100 adolescents within the age group 12-19 yrs. during a period of 6 months. The study is done by the usage of Smart phone addiction scale (33 item scale) & DASS-42 (Depression, Anxiety & Stress Scale).

Results: The generalities and the factors with smart phone addiction and anxiety, depression and stress are correlated with each other. Higher scores indicated higher levels of addiction and its correlation with stress, anxiety and depression.

Conclusion: There should be supervision for the usage of mobile phones for adolescents to prevent mental health problems.

Keywords: Mobile phone usage, stress, anxiety, depression, adolescents

Introduction

Smartphone's are well known devices which can be used for processing more information than other phones; which includes many features such as games, access to the Internet and social networks, messaging, videos, multimedia, and navigation, along with their use for communication. Ingress to the Internet is increasingly easy due to advancement in mobile technology and the prevalence of smart phones. The use of mobile phones has become so much integrated in our lives & addiction to smart phone usage is a common worldwide problem especially among adolescents, which might negatively affect their welfare.

Hwang, K. H., Yoo, Y. S. & Cho, O. H. conducted a study on Smartphone users and it was found that state anxiety, trait anxiety, and depression were higher in the Smartphone overuse group than in the normal use group^[1].

Depression and anxiety are recognized as common, serious disorders and debilitating mental health problems in the changing social context and are afflicting adolescents and student population to a large extent^[2,3]

Increased use can also lead to increased time on mobile communication, adverse effects on relationships, and anxiety if separated from a mobile phone or sufficient signal. Behaviour addictions, including Smartphone addiction, are generally difficult to define because they are related not only to physical, but also to social and psychological factors^[4] The core features of behavioral addiction include the following: sustained engagement in a behavior despite its negative effects, decreased control over participation in the behavior, compulsive participation, and appetitive or craving urges that instantly precede engagement in the behavior^[5].

Materials and Methodology

- **Place of study:** Study was conducted among school & college going students of adolescent age group within 12-19 years of age, In Khammam, and Telangana.
- **Study period:** The study undertaken during August 2018 to January 2019
- **Study sample:** The study sample consists of 100 students.

- **Study design:** Cross sectional study.
- **Inclusion criteria:** Subjects in adolescent age group who gave consent to participate in the study.
- **Exclusion criteria:** Subjects who are not willing to give consent for the study.

Materials

- **The study is conducted using**
- **Smart phone addiction scale (33 item scale)**

The SAS is a 33-item, six-point self-rating scale developed by Kwon, Lee *et al.* (2013) based on the Internet addiction scale and the features of smart phones. The options on this scale range from 1 (definitely not), to 6 (absolutely yes).

- The greater the scores indicate a higher the risk of Smartphone addiction. The total score on the scale can be in between 33 and 198. A cut-off point was not reported in the original scale ^[6] in a reliability and validity study of the Turkish version of the SAS involving 301 university students ^[7], the Cronbach's alpha was 0.947.

DASS-42 (Depression, Anxiety & Stress Scale)

The DASS is a 42 item self-report inventory that yields 3 factors: Depression; Anxiety; and Stress. This scale proposes that physical anxiety (fear symptomatology) and mental stress (nervous tension and nervous energy) factor-out as two distinct domains. This screening and outcome measure show the past 7 days. Gamma coefficients that signifies the loading of each scale on the overall factor (total score) are 0.71 for depression, 0.86 for anxiety, and 0.88 for stress. One would expect anxiety and stress to be higher than depression on the common factor as they are more highly correlated and, therefore, dominate the definition of this common factor ^[8]. Reliability of the three scales is considered good enough and test-retest reliability is likewise considered adequate with 0.71 for depression, 0.79 for anxiety and 0.81 for stress ^[9]. Exploratory and confirmatory factor analyses have sustained the proposition of the three factors ($p < 0.05$) ^[9]. The DASS anxiety scale correlates 0.81 with the Beck Anxiety Inventory (BAI), and the DASS Depression scale correlates 0.74 with the Beck Depression Scale (BDI).

Statistical analysis

The statistical analysis of data was performed using statistical package for social sciences ^[10] for Windows (version 21) and Microsoft Excel 2010. Correlation in categorical variables is calculated by Pearson's correlation. Statistical significance levels for all analyses were set at the $p < 0.05$.

Results

The range of the age in the given sample is 12 to 19 years. And the mean is 14.3 for males and 14.2 for females.

Table 1: The correlations between the scores of SAS and DAS

	SAS	
	R value	P value
Depression	0.222	0.02*
Anxiety	0.198	0.02*
Stress	0.231	0.04*

Significance of p value: $< 0.05^*$

The results indicate a positive correlation of Smart phone addiction with stress, anxiety & depression.

A significantly higher proportion of Smartphone users had higher rate of Depression, Anxiety and stress.

Table 2: Smart phone addiction among males & Females

	Mean	SD	P Value
Males (n=57)	143.8	21.1	0.0001*
Females (n=43)	99.7	14.4	

* $p < 0.05$ Significance of p value suggests that Smart phone addiction is more in males than in females.

It was found that SAS scores were significantly higher in males than in females, which indicates that smart phone addiction is more among males than in females.

Discussion

In a study by Choi SW, Kim DJ, Choi JS, Ahn H, Choi EJ, Song WY, Kim S, Youn H, 2015 Dec 21;4(4):308-14. Higher levels of smartphone addiction were positively associated with female gender.

In contrary our study proves that male have wider addiction to smart phones compared to females.

University students tend to adapt early on electronic devices and, they can be categorized as early adopters ^[11]. For them, smartphone is something interesting, entertainment objects, can connect with friends and giving them a sense of autonomy, identity and credibility ^[12]. This is the whole reason why smart phone addiction is the major concern of interest in our study

Kuss, D. J. & Griffiths, M. D. conducted a study in 2011, and concluded that excessive use of smart phone may cause maladaptive behavioural difficulties, interfere with school or work, reduce real-life social interaction, and lead to relationship disorders ^[13]. I concede with these findings as my study also is specifically focused on depression anxiety and stress and their positive correlation with smart phone addiction.

According to Thomée, S., Härenstam, A. & Hagberg, M. (2011), as sleep is an important biological mechanism related to mood regulation ^[14], Adams, S. K. & Kisler, T. S. (2013) concluded that students whose sleep is disrupted because of technology use may be more likely to experience markers of depression such as loss of energy, concentration problems, and daytime sleepiness ^[15]

A study by Demirci, K., Orhan, H., Demirdas, A., Akpınar, A. & Sert, H ^[16] found that excessive use of smartphone may lead to anxiety and / or depression which can lead to sleep problems.

Data from the current study showed that the excessive smart phone usage was associated with Depression, Anxiety & Stress related psychological problems. The high Smartphone users exhibited higher levels of depression, anxiety & stress according to the DASS scores & there is a significant positive correlation with SAS scores. Consistent with our findings, our scores of smart phone addiction is associated with higher levels depression, anxiety and stress.

In 2015, Park *et al.* ^[17] has done a study to compare depression problems among 20 students who had been divided into two groups, Heavy Smartphone User Groups and Control Groups; results inferred that heavy users who use excessive smartphones tend to suffer depression. In addition, the finding of this study was supported by Thomee *et al.* ^[12] which conduct a year-long follow-up analysis

reported that excessive use of smartphone may be a risk factor for depression symptoms. In addition to finding a relationship between smartphone addiction and anxiety, this study also reported significant correlation between smartphone addiction and depression. It was supported by previous studies that found individuals with smartphone addiction problems tend to have depression problems [17, 18, 19].

Hence, it can be inferred that this study supports other studies concerning the correlation between smartphone addiction with anxiety and depression among university students and shows that this phenomenon also happens among university students in Malaysia.

Conclusion

- Findings in the current study population suggest that higher scores in SAS indicated higher levels of addiction and its relation with stress, anxiety and depression.
- Hence, Adolescents should use mobile phones appropriately to avoid further impairment of mental health. Hence, the reasonable mobile phone usage is advised.

Limitations

- Small sample size is the major limitation of the study.
- Assessment was cross sectional and not blind.

Conflicts of interest

- There are no conflicts of interest

References

1. Hwang KH, Yoo YS, Cho OH. Smartphone overuse and upper extremity pain, anxiety, depression, and interpersonal relationships among college students. *The Journal of the Korea Contents Association*. 2012; 12(10):365-375.
2. Andrews B, Wilding JM. The relation of depression and anxiety to life-stress and achievement in students. *Br J Psychol*. 2004;95:509-21.
3. Emslie GJ, Mayes TL, Ruberu M. Continuation and maintenance therapy of early-onset major depressive disorder. *Paediatr Drugs*. 2005;7:203-17.
4. Lee H, Ahn H, Choi S, Choi W. The SAMS: Smartphone Addiction Management System and Verification. *Journal of Medical Systems*. 2014;38(1): 1-10.
5. Mok JY, Choi SW, Kim DJ, Choi JS, Lee J, Ahn H, *et al*. Latent class analysis on Internet and smartphone addiction in college students. *Neuropsychiatric Disease and Treatment*. 2014;10:817-827.
6. Kwon M, Lee JY, Won WY, Park JW, Min JA, Hahn C, *et al*. Development and validation of a smartphone addiction scale (SAS). *PloS One*. 2013;8(2):e56936.
7. Demirci K, Orhan H, Demirdas A, Akpınar A, Sert H. Validity and reliability of the Turkish Version of the Smartphone Addiction Scale in a younger population. *Bulletin of Clinical Psychopharmacology*. 2014;24(3): 226-234.
8. Lovibond PF, Lovibond SH. The structure of negative emotional states: Comparison of the Depression Anxiety Stress Scales (DASS) with the Beck Depression and Anxiety Inventories. *Behaviour research and therapy*. 1995 Mar 1;33(3):335-43.
9. Brown TA, Chorpita BF, Korotitsch W, Barlow DH. Psychometric properties of the Depression Anxiety Stress Scales (DASS) in clinical samples. *Behaviour research and therapy*. 1997 Jan 1;35(1):79-89.
10. Nie Norman H, Dale H Bent, Hadlai Hull C. *SPSS: Statistical package for the social sciences*; c1975. p. 249.
11. Benotsch EG, Snipes DJ, Martin AM, *et al*. Sexting, substance use, and sexual risk behavior in young adults. *Journal of Adolescence Health*. 2012;52(3):307-313.
12. Zarghami M, Khalilian A, Setareh J, *et al*. The impact of using cell phones after light-out on sleep quality, headache, tiredness, and distractibility among students of a university in North of Iran. *Iranian Journal of Psychiatry and Behavioral Sciences*. 2015;9(4):0-4.
13. Kuss DJ, Griffiths MD. Online social networking and addiction-a review of the psychological literature. *International Journal of Environmental Research and Public Health*. 2011;8(9):3528-3552.
14. Thomée S, Härenstam A, Hagberg M. Mobile phone use and stress, sleep disturbances, and symptoms of depression among young adults - a prospective cohort study. *BMC Public Health*. 2011;11(1):66.
15. Adams SK, Kisler TS. Sleep quality as a mediator between technology-related sleep quality, depression, and anxiety. *Cyberpsychology, Behavior, and Social Networking*. 2013;16(1):25-30.
16. Demirci K, Akgonul M, Akpınar A. Relationship of smartphone use severity with sleep quality, depression and anxiety in university students. *Journal of Behavioral Addictions*. 2015;4(2):85-92.
17. Park J, Kim K, Kim N, *et al*. A comparison of cervical flexion pain and clinical depression in frequency of smartphone use. *International Journal of Bio-Science and Bio-Technology*. 2015;7(3):183-90.
18. Kim MO, Kim H, Kim K, *et al*. Smartphone Addiction: (focused depression, aggression and impulsions) among college students. *Indian Journal of Science and Technology*; c2015, 8(25).
19. Augner C, Hacker GW. Associations between problematic mobile phone use and psychological parameters in young adults. *International Journal of Public Health*. 2012;57(2):437-41.